











## VK 401 UPGRADE





### PARTS LIST




<p>1 x <b>Capacitor</b></p>	
<p>4 x strips of <b>Gasket Tape</b> (2 x long sections and 2 x short sections)</p>	
<p>2 x <b>Side Filter Doors</b></p>	
<p>1 x <b>HEPA Filter</b></p>	





## INSTRUCTIONS





<input type="checkbox"/>	<b>1</b>	Switch off your VK 401 and <b>unplug the unit from the power supply.</b>	
<input type="checkbox"/>	<b>2</b>	Leave the unit unplugged <b>for at least one hour.</b>	
<input type="checkbox"/>	<b>3</b>	Place your VK 401 on its front and remove the 12 screws from the back of the unit.	
<input type="checkbox"/>	<b>4</b>	Stand the unit up and carefully lay the back panel down. Keep the front of the unit standing upright.	
<b>Replacing the capacitor</b>			
<input type="checkbox"/>	<b>5</b>	Locate the position of the capacitor.	



<input type="checkbox"/>	<b>6</b>	<p>Unscrew the screw on the capacitor and remove the two wires.</p>	
<input type="checkbox"/>	<b>7</b>	<p>Remove the old capacitor.</p>	
<input type="checkbox"/>	<b>8</b>	<p>Using the same screw, install the new capacitor with the <b>tab facing towards the circuit board</b>.</p> <p><b>Be careful to ensure that the brown and yellow wires are in the same place,</b> with the brown wire on the side next to the fan.</p>	

			
<p><b>Installing the gasket tape</b></p>			
<input type="checkbox"/>	<p><b>9</b></p>	<p>Separate your gasket tape into <b>longer</b> and <b>shorter</b> pairs.</p>	
<input type="checkbox"/>	<p><b>10</b></p>	<p>Remove the backing and place the two <b>longer</b> pieces of gasket tape <b>vertically</b> on either side of the filter case.</p>	
<input type="checkbox"/>	<p><b>11</b></p>	<p>The gasket tape may expand when you remove the backing, so it may be necessary to trim off the excess.</p>	

<input type="checkbox"/>	<p><b>12</b></p>	<p>Remove the backing from the shorter pieces and place them <b>horizontally</b> between the two longer pieces to form a tight square. Again it may be necessary to trim off some excess tape.</p>	
<input type="checkbox"/>	<p><b>13</b></p>	<p>Your work on the inside of the unit is complete. You can close the unit up, place it on its front, and reinsert the 12 screws.</p>	
<p><b>Replacing the side filter doors</b></p>			
<input type="checkbox"/>	<p><b>14</b></p>	<p>Remove the single screw at the top of each door on the side of the unit.</p>	

<input type="checkbox"/>	<b>15</b>	Take the cover off by tilting and lifting.	
<input type="checkbox"/>	<b>16</b>	The handles of the doors will need to be placed on your new side filter doors. Remove the two screws from the back of the handle.	
<input type="checkbox"/>	<b>17</b>	Attach the handles to the new doors and screw them in place.	
<input type="checkbox"/>	<b>18</b>	Place the new side filter doors on the sides of the unit and replace the single screw at the top of each.	

			
<p><b>Changing the HEPA filter</b></p>			
<input type="checkbox"/>	<p><b>19</b></p>	<p>To replace the HEPA filter, open the handle of the filter case at the top of the unit by pushing the handle and twisting it open.</p>	
<input type="checkbox"/>	<p><b>20</b></p>	<p>Slide out the filter case.</p>	
<input type="checkbox"/>	<p><b>21</b></p>	<p>Remove the old HEPA old filter from the filter case, and dispose of it.</p>	

<input type="checkbox"/>	<p><b>22</b></p>	<p>Replace the HEPA filter with the new filter, <b>ensuring that you keep the black pre filter at the front</b> of the case.</p>	
<input type="checkbox"/>	<p><b>23</b></p>	<p>Slide the filter case back into the unit and close the handle.</p>	
<input type="checkbox"/>	<p><b>24</b></p>	<p>All done, you can now plug your VK 401 back in.</p>	